

## Re: Marketplace Striping and Obliteration

Mon 6/27/2016 11:04 AM

Sent Items

To: Reed Hoysradt <rhoysradt@capitalexcavation.com>;

Cc: Ben Veloz <bveloz@capitalexcavation.com>;

great



Jo Ann E. Garcia  
Road Bond Project Manager  
512-262-3949

---

**From:** Reed Hoysradt <rhoysradt@capitalexcavation.com>  
**Sent:** Monday, June 27, 2016 10:47:33 AM  
**To:** Jo Ann Garcia  
**Cc:** Ben Veloz  
**Subject:** RE: Marketplace Striping and Obliteration

Jo Ann,

The \$2.80 / ft. is good and we are fine with overrunning the existing TY 1 4" broken White line item. We will get with Flasher and see if we can schedule to work for this week if possible.

Thank you,

Reed Hoysradt  
Project Coordinator



2967 Business Park Drive  
Buda, TX 78610  
(512) 486-3649 (Office)  
(512) 214-2518 (Cell)  
[rhoysradt@capitalexcavation.com](mailto:rhoysradt@capitalexcavation.com)

**From:** Jo Ann Garcia [mailto:jgarcia@cityofkyle.com]  
**Sent:** Monday, June 27, 2016 10:18 AM  
**To:** Reed Hoysradt  
**Subject:** Fw: Marketplace Striping and Obliteration

Reed we have layout ready, is Flasher going to be able to come in and obliterate the striping at \$2.80/ft (I believe was what you said before) and put in TY I 4" white brk line per layout at our contract price / ft? signs being done in house.



Jo Ann E. Garcia  
Road Bond Project Manager  
512-262-3949

---

**From:** [kylescan@cityofkyle.technology](mailto:kylescan@cityofkyle.technology) <[kylescan@cityofkyle.technology](mailto:kylescan@cityofkyle.technology)>  
**Sent:** Monday, June 27, 2016 9:02 AM  
**To:** Jo Ann Garcia  
**Subject:**

This E-mail was sent from "RNP0A17C5" (Aficio MP C5000).

Scan Date: 06.27.2016 10:02:35 (-0400)  
Queries to: [kylescan@cityofkyle.technology](mailto:kylescan@cityofkyle.technology)

This email message and any attachments are for the sole use of the intended recipient(s) and contain confidential and/or privileged information. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply email and destroy all copies of the original message and any attachments.