RFQ SUBMITTAL PAGE

molded in this submission package at these required suppor	ting documents:
Company Narrative (Scope 13) Company Name: Company Mailing Address: Contact for Company/Vendor: Deb Dipino Daytime Phone Number:	DEG HOUND HOUSE NV 89704 Email: tanyle suttereous prient com
I, the undersigned agent for the company named above, certithis company, corporation, firm, partnership or individual has provider, and that the contents of this proposal as to prices, to communicated by the undersigned nor by any employee or apprior to the official opening of this RFQ.	s not prepared this proposal in collusion with any other terms or conditions of said proposal have not been
Authorized Company Official (signature): Authorized Company Official's Name: (printed):	DEB DIFINO Date Signed: 10-5-23

PLUM CREEK TRAIL IMPROVEMENTS-RFQ-2023-36-PARD

Sutter Equipment Company, Inc.

25 Cowee Drive Mound House, NV 89706

Phone: 775.246.8689 Fax: 775.246.8683 tony@sutterequipment.com www.sutterequipment.com

D&B #034216045 CCR #263548134

Estimate

Date	Estimate #
9/27/2023	777

CUSTOMER

City of Kyle 700 Lehman Road Kyle, TX 78640 Ship To

City of Kyle

ATTN: Mariana Espinoza/Benito Pereda

Total

700 Lehman Road

Kyle, TX 78640

Quoted prices good for 30 days from date of quote unless otherwise stated. This quotation may be subject to surcharges or price increases implemented by our suppliers depending on the components included in this order. Surcharges and/or price increases will be applied at time of invoice.

Project

\$92,951.17

Item	Description	Qty	Cost	MPN	Total
SUTTER 300 Mini Trail Dozer	SUTTER 300 Mini Trail Dozer - new	1	88,000.00	SUTTER300	88,000.00
Winch for SUTTER 300 - SALE	Dozer - new				
Winch - WARN	4500lb 12v, 2/Hawse fairlead, remote control, synthetic cable		979.98	101040	979.98
Contact	50 amp contact - 6ga (dual power link contact)	2	6.17	5613DL	12.34
Housing w/Spring	50 amp housing with spring (dual power connector - gray box)	1	10.76	5633	10.76
Protective Cap for 50A (5633)	Protective Cap for 50A SB Housing (dual power cable link)	1	4.51	905050	4.51
1/2" Hitch Pin	1/2" x 5-1/2" (overall) (3-1/2" usable) hitch pin	1	10.00	106084	10.00
Nylo-Guard Sleeve (mini winch)	Nylo-guard sleeve (for mini winch cables)	8	1.95	1776-12; PS-B-12	15.60
Receiver Tubing	2.53 x 2.53 x .238 flash out (receiver tubing)	10.5	1.52175		15.98
1/2" Hitch Pin	1/2" x 5-1/2" (overall) (3-1/2" usable) hitch pin	1	10.00	106084	10.00
Labor Shop Rate	labor - Shop Rate electric winch for SUTTER 300	5.6	100.00		560.00 1,619.17
Mini Ripper Attachment SALE Shipping Charge	mini ripper attachment Shipping Charge	1	832.00 2,500.00		832.00 2,500.00

SUTTER 300 MINI TRAIL DOZERTM

THE ULTIMATE TRAIL MACHINETM
DESIGNED FOR SINGLE TRACK TRAIL CONSTRUCTION AND MAINTENANCE, PUBLIC WORKS,
CONTRACTORS, RANCHERS AND RESIDENTIAL

PROTECTED BY U.S. PATENT NO. D785,680







You can build approximately 1000 ft./hr. of under 30" wide single track trails. Build trails uphill with ease and rolling dips in minutes. Pay for the SUTTER 300 MINI TRAIL DOZER $^{\text{TM}}$ in less than one season with the savings realized from decreased labor costs.

SUTTER EQUIPMENT COMPANY, INC.*
25 Cowee Drive
MOUND HOUSE, NV 89706
Tel (775) 246-8689

*Trail Equipment Specialists since 1986

www.sutterequipment.com

SUTTER 500 TRAIL DOZERTM

SPECIFICALLY DESIGNED, ENGINEERED AND TESTED FOR TRAILMAKING · PARK & REC MAINTENANCE · WOOD LOTS · CITY, COUNTY, STATE & FEDERAL MAINTENANCE WORK · RANCHERS · CONTRACTORS · MILITARY SERVICES · FIRE SUPPRESSION

SPECIFICATIONS*

ENGINE
MakeKohler Turbo
EPA Rating Tier 4 Final
FuelDiesel
Horse Power
Type
Cooling MediumWater
Electrical System
Max Inclination, all angles35°
Fuel Consumption (Avg)1.0 Gal/Hr
TRANSMISSION
Sauer-Danfoss twin hydrostatic pumps and Auburn
Gear 100,000 inch pound torque hubs
-
STEERING Divide controls full hand a series of the series
Dual controls, full hydrostatic, counter rotating (STD)
Other options available
Hydraulics
Gear pump 15-20 G.P.M. 2200 PSI triple filtration, 10
micron
UNDERCARRIAGE
MakeBerco
Track FrameRigid Frame
Track Rollers1 Top, 5 Bottom
Shoes per Track30
Track Width x Length11" x 62"
Ground Pressure6.5 PSI
SERVICE REFILL CAPACITY
Fuel Tank
Hydraulic System30Gal
Crankcase
Cooling System
FRAME
½" high tensile steel, unitized with full belly pan,
Landana Jata 1

hardened steel pins and bushings, designed for

heavy dozer services, rock guards AR plate

SPE	CIFIC	ΔΤΊ	ONG
-71 Li	~11.11~	m i i	L/13/3

Width	48″
Length (with blade & rippers)	
Height	
Ground Clearance	
Gross Weight (with blade & rippers)	
Travel Speed	
Max Blade Lift	
Max Blade Drop	
Max Blade Angle	
Max Blade Tilt	

STANDARD FEATURES

- Blade 6 Way with Lift & Tilt Float
- 3-point: Rippers, 3 shank, Float
- ROPS (OSHA certified)
- Seat Belt
- Hydraulic Fluid level/temp gauge
- Control panel Warning Lights
- Vandal Protection Kit
- Single digital gauge showing Tach/Hourmeter,
 Fuel, Oil, Water Temp, Volts, etc. readings
- Cold Weather Starting
- Heavy Duty Engine Cooling System
- Auxiliary Hydraulics
- Side Brush Screens
- Hydraulic Oil Cooler
- Rock Guards
- Safety Brake
- Limb Risers
- Draw Bar
- Dry Cell Battery
- Foot and Arm Rests
- Brass Wear Plates
- Powder Coat Finish
- Minimum 2" clearance between tracks and full length of trail dozer body for cleaning/maint.

ATTACHMENTS/OPTIONS/EQUIPMENT

• See Attachment Brochure and Price List *Specifications subject to change without notice.

THE SUTTER 500 TRAIL DOZERTM

THE ULTIMATE TRAIL MACHINETM

DESIGNED FOR TRAIL CONSTRUCTION AND MAINTENANCE, FIRE BREAKS, PUBLIC WORKS, TIMBER THINNING, CONTRACTORS AND RANCHERS



Sutter Equipment Company has updated the previous SWECO 480 to the new SUTTER 500. The SUTTER 500 TRAIL DOZERTM has these enhancements:

- Tier 4 Final EPA compliant engine
- No DPF needed/no downtime for DPF maintenance
- More torque at less RPM for increased efficiency
- Lower operating costs (ultra-efficient performance means savings at the pump; no DPF maintenance or replacement costs; no fuel wasted on DPF regeneration)
- 100,000 inch pound torque hubs
- 6. Electronic throttle (no more throttle cable/throttle head)
- Easier access to filters
- 8. Custom Foot Rest & other operator ergonomics
- 9. Powder Coat finish more durable than wet paint
- 10. Lower decibel operating noise
- 11. Smoother, quieter running engine
- Work performed by certified welders

You can build 1000 ft./hr or more of 3 to 4 ft. wide trails. Build trails uphill with ease and rolling dips in minutes. Pay for the TRAIL DOZERTM in less than one season with the savings realized from decreased labor costs.

SUTTER EQUIPMENT COMPANY, INC.*
25 COWEE DRIVE
MOUND HOUSE, NV 89706
(775) 246-8689

New/Used Trail Dozer™ Sales/Manufacturing/Parts/Service/Rentals

Work Experience - Sutter Equipment Company, Inc. - Projects completed within the last three years:

Type of	Date	Name, Address and Telephone No. of Owner/
Project	Completed	Person to Contact for Project Information
SUTTER 500	3/31/2021	3/31/2021 USDA Forest Service-Roanoke, VA/Daniel Boone NF, 258 US-421, McKee, KY 40447; 859-745-3184
SUTTER 500	8/11/2021	8/11/2021 Bill Sauro/Tama Trading, 1920 E. 20th St., Los Angeles, CA 90058; billsauro@tamatrading.com
SUTTER 500	9/9/2021	9/9/2021 Idaho Parks & Recreation/Mike Robinson, 5657 Warm Springs Ave., Boise, ID 83716; 208-514-2413
SUTTER 500	2/16/2022	2/16/2022 Enduring Resources, 1050 17th St., #2500, Denver, CO 80265; Alex Campbell, 303-350-5107
SUTTER 500	8/8/2022	8/8/2022 Caribou-Targhee NF, 495 S. Main St., Driggs, ID 83422; Joe McFarlane, 801-557-8686
SUTTER 500	9/23/2022	9/23/2022 Rampart Range MMC, 236 Crown High Court, Colorado Springs, CO 80904; Dave Kemper, 719-630-8270
SUTTER 500	10/25/2022	10/25/2022 BLM Salem, 1717 Fabry Rd. SE, Salem, OR 97306; Andy Frazier, 503-315-5979
SUTTER 500	12/7/2022	12/7/2022 Idaho Parks & Recreation/Mike Robinson, 5657 Warm Springs Ave., Boise, ID 83716; 208-514-2413
SUTTER 500	3/13/2023	3/13/2023 Utah Parks & Recreation, 1594 W. North Tempe, Salt Lake City, UT 84114; Randy Thomas, 801-638-7411
SUTTER 500	4/17/2023	4/17/2023 Western Slope ATV for BLM Grand Junction, PO Box 4283, Grand Junction, CO 81502; Tom Derryberry, 970-858-7366
SUTTER 500	7/6/2023	7/6/2023 Idaho Parks & Recreation/Mike Robinson, 5657 Warm Springs Ave., Boise, ID 83716; 208-514-2413
SUTTER 500	8/10/2023	8/10/2023 Hatfield McCoy, 180 Appalachian Outpost Trail, Man, WV 25635; John Fekete, 304-752-3255
SUTTER 500	8/15/2023	8/15/2023 North Dakota Parks & Recreation, 1600 E. Century Ave., #3, Bismarck, ND 58503; Tony Hillig, 701-328-5366

8/29/2023 BZ Plumbing, 1901 Aviation Blvd., Lincoln, CA 95650; Bill Zrmzel, 916-524-9899	SUTTER 300
7/24/2023 Seward Ranger District, 33599 Ranger Station Spur, Seward, AK 99664; Michael Fitzpatrick, 907-288-3178	SUTTER 300
4/10/2023 Bryce-Zion Trail Rides, 280 W. Bryce Way, Tropic, UT 84776; Paul Magnum, 435-632-5775	SUTTER 300
3/27/2023 East Bay Regional Park District, 2950 Peralta Oaks Court, Oakland, CA 94605; Jason McCrystle, 510-544-2706	SUTTER 300
3/23/2023 Western Slope ATV for BLM Grand Junction, PO Box 4283, Grand Junction, CO 81502; Tom Derryberry, 970-858-7366	SUTTER 300
6/16/2022 Trinidad State Junior College, 600 Prospect St., Trinidad, CO 81082; 719-846-5577	SUTTER 300
3/21/2022 St. Joseph County Parks, 612 E. Main, Centerville, MI 49032; Joseph Macdonald, 269-467-5519	SUTTER 300
11/1/2021 MTCC, 40 W. Union St., Manti, UT 84642; Dallas Cox, 435-851-0065	SUTTER 300
9/23/2021 Steve Thomas/Terra Firma Trails, 203 Pauline Dr., Canon City, CO 81212; 410-708-5711	SUTTER 300
6/17/2021 City of Albuquerque Open Space Division, 3615 Los Picaros SE, Albuquerque, NM 87015	SUTTER 300
1/10/2021 Tennessee Lane, 785 CR 362, La Veta, CO 81055; 719-989-8409	SUTTER 300



We are the original designer of the Trail DozerTM and the exclusive manufacturer of the SUTTER 500 Trail DozerTM, a 48 inch wide, 9,000 lb. trail machine used to build and maintain 3 to 4 foot wide trails, and has the maneuverability to get into tight places for thinning or removal of trees in the forest, etc.



We are also the designer and exclusive manufacturer of the SUTTER 300 Mini Trail Dozer™ (U.S. patent D785,680), a 30 inch wide, 4,300 lb. trail machine used to build and maintain "single-track" trails.

Build 1,000 feet per hour or more of trails.

We manufacture and/or distribute over 20 attachments for the Trail Dozer™, as well as trail rakes and the patented Sutter retaining wall. All of our products are proudly manufactured in the USA.

We have been in business since 1986 and have sold over 1,000 Trail DozersTM to Australia, Jamaica, South America, Mexico, Latin America, Canada and the United States Forest Service, the United States Bureau of Land Management and numerous counties, cities, states and private contractors in the United States.

Our sales office and 10,000 square foot manufacturing plant is located in Mound House, Nevada (near Carson City, Nevada).

SUTTER EQUIPMENT COMPANY, INC.
Manufacturing/Sales/Parts/Service: 775-246-8689 tony@sutterequipment.com
www.sutterequipment.com

Sutter Equipment Company, Inc.

25 Cowee Drive Mound House, NV 89706

Phone: 775.246.8689 Fax: 775.246.8683 tony@sutterequipment.com www.sutterequipment.com

D&B #034216045 CCR #263548134

Estimate

Date	Estimate #
9/27/2023	778

CUSTOMER

City of Kyle 700 Lehman Road Kyle, TX 78640 Ship To

City of Kyle

ATTN: Mariana Espinoza/Benito Pereda

700 Lehman Road

Kyle, TX 78640

Quoted prices good for 30 days from date of quote unless otherwise stated. This quotation may be subject to surcharges or price increases implemented by our suppliers depending on the components included in this order. Surcharges and/or price increases will be applied at time of invoice.

Project

Item	Description	Qty	Cost	MPN	Total
Trail Dozer 500	SUTTER 500 trail dozer,	1	118,000.00	SC500	118,000.00
	Tier 4 Final diesel engine,				
Winch - MileMarker	100,000 in lb torque hubs				
Winch	20D D		2 7/1 70	mo	
Winch Cover A Assembly SALE	2SP Ductile Iron - Winch	1		70-52000C	2,761.70
Winch Cover B Assembly SALE	winch cover - motor side	1	288.04		288.04
44" 8FJX-8FJX	winch cover - handle side	1	288.24	1	288.24
++ 01 JA-01 JA	FOR ISUZU - 44" 8FJX-8FJX hose for winch	2	36.80	S480-21	73.60
Flat Face Pioneer Female			160.05	FT 501 0FD 7	
That Pace Proffeet Pennale	female flat face pioneer	Ţ	160.85	FF-501-8FP Parker	160.85
Flat Face Pioneer Male	male flet fees misses		67.00	Female QD	
That I acc I folicel what	male flat face pioneer	1	67.90	FF-502-8FP Parker	67.90
10MB-8MJ 45	10MB-8MJ 45	2	5.05	Male QD	10.10
8MP-8MJ90 Adaptor	8MP-8MJ90 adaptor for	2 2	3.60	10MB-8MJ 45	10.10
on a state of the	winch	2	3.00		7.20
Winch Instruction Plate Kit	winch instruction plate kit	1	12 10	61-00001	12.10
	MILE MARKER hydraulic		13.10	01-00001	13.10
	winch for SUTTER 500;				3,670.73
	12,000 lb pull, mounted on				
	ripper bar 100' 3/8 cable				
Berm Buster	berm buster	1	273.00		273.00
Flail Mower Front Mount SALE	flail mower; front mount	1	16,295.00		
Brush Rake	Brush Rake - 5' high, 5 rib	1	5,628.00		16,295.00
Trailor 14FT-16	14FT Pro Series Full Tilt	1	14,000.00	14FT-16	5,628.00 14,000.00
	Bed Trailer, 16', bumper	•	11,000.00	1-10	14,000.00
	pull, 14000#, with chains				
	and binders				
Shipping Charge	Shipping Charge		4,300.00		4,300.00
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		1,500.00
		L	L		

Total

\$162,166.73



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 06/01/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate hold

If ti	SUBROGATION IS WAIVED, subject to nis certificate does not confer rights to	me	terms	s and conditions of the no	dirv ra	utain naliaise	DITIONAL IN may require	ISURED provisions an endorsement. A	or be endoi statement	rsed. on
PRO	DUCER			cate floider in fied of Suci	CONTA NAME:		ldudo.		***************************************	
Cor	mstock Insurance Agency				NAME:	Laurie Da		1,000		
1	4 Double R Blvd				PHONE (A/C, N E-MAIL ADDRE	lhalduin @	53-9424)comstockins.c		, No): (775)	852-1616
							SURER(S) AFFOR	RDING COVERAGE		T
Rer	10			NV 89521	INSURE	0-1	nsurance Com			39993
INSL	JRED				INSURE	Y	gy Insurance (Co.	**************************************	42376
l	Sutter Equipment Company				INSURE				······································	+
	25 Cowee Drive				INSURE	*************************************				
	Suite A & B				INSURE					+
	Mound House			NV 89706	INSURE	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
-				NUMBER: 23-24 Master	***************************************			REVISION NUMBER	•	1
TI	HIS IS TO CERTIFY THAT THE POLICIES OF I	NSUF	RANCE	LISTED BELOW HAVE BEEN	ISSUE	TO THE INSUR	SER MALLERO A	201 /		Al
• • • • • • • • • • • • • • • • • • • •	TO THE PROPERTY OF THE PROPERT	TEMP		- 1000 (1100 (1100 110 (110	CONITO	ACT OD OTHER		5 25 TT 1 TO THE TO THE THE THE TAX A S. S. S. S.		
	ERTIFICATE MAY BE ISSUED OR MAY PERTA XCLUSIONS AND CONDITIONS OF SUCH PO							UBJECT TO ALL THE TE	RMS,	
INSR	TYPE OF INSURANCE	ADDL	JSUBR		- NCDO	POLICY EFF				***************************************
	COMMERCIAL GENERAL LIABILITY	INSU	WVD	POLICY NUMBER	~	(MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)		LIMITS	
	CLAIMS-MADE OCCUR							EACH OCCURRENCE DAMAGE TO RENTED	100	00,000
								PREMISES (Ea occurrence	- *	0,000
Α				103 GL 0213750-00		05/29/2023	05/29/2024	MED EXP (Any one person		
	GEN'L AGGREGATE LIMIT APPLIES PER:					00/20/2025	UGI ESI EUE4	PERSONAL & ADV INJURY	7 2 00	00,000
	POLICY PRO- LOC							GENERAL AGGREGATE		00,000
	OTHER:							PRODUCTS - COMP/OP A	90 10	00,000
	AUTOMOBILE LIABILITY				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			COMBINED SINGLE LIMIT	\$	
	ANY AUTO							(Ea accident) BODILY INJURY (Per perso	\$,
	OWNED SCHEDULED AUTOS									
	HIRED NON-OWNED AUTOS ONLY							BODILY INJURY (Per accid PROPERTY DAMAGE		
	ADTOS GRET							(Per accident)	\$	***************************************
	UMBRELLA LIAB OCCUR				·····				\$	
	EXCESS LIAB CLAIMS-MADE							EACH OCCURRENCE	<u> </u>	
	DED RETENTION \$							AGGREGATE	\$	
	WORKERS COMPENSATION							IPER I IO	\$ THL	
В	AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE								[H-	00.000
5	OFFICER/MEMBER EXCLUDED? N N	N/A		TWC4187787		01/01/2023	01/01/2024	E.L. EACH ACCIDENT		00,000
	If yes, describe under DESCRIPTION OF OPERATIONS below							E.L. DISEASE - EA EMPLO	1 1	
								E.L. DISEASE - POLICY LI	AIT \$ 1,00	20,000
DESC	CRIPTION OF OPERATIONS / LOCATIONS / VEHICLE	S (AC	ORD 1	01, Additional Remarks Schedule,	may be a	ttached if more sp	ace is required)			
	Loan Number 3522637007				•					
CEF	RTIFICATE HOLDER				CANC	ELLATION				
	Nevada State Development Corp 6572 S. McCarran Blvd	p			THE	ULD ANY OF TI EXPIRATION D ORDANCE WIT	ATE THEREOF	SCRIBED POLICIES BE , NOTICE WILL BE DEL PROVISIONS.	CANCELLEI	D BEFORE
					AUTHO	RIZED REPRESEN	TATIVE			
	Reno			NV 89509		· * * * * * * * * * * * * * * * *		e a. Baldy		
					L		NUMBER	JKDX DIA NIZ	*	

SUTTER 300 MINI TRAIL DOZERTM

SPECIFICALLY DESIGNED, ENGINEERED AND TESTED FOR SINGLE TRACK TRAIL MAKING · WOOD LOTS · PARKS & REC., CITY, COUNTY, STATE & FEDERAL MAINTENANCE WORK · RANCHERS · CONTRACTORS · RESIDENTIAL

SPECIFICATIONS*

ENGINE
Make Hatz 3H50TI Turbo
EPA RatingTier 4
FuelDiesel
Horse Power 24.7 HP @ 1400 RPM (95 ft lbs of torque)
Type3 Cylinders
Cooling Medium Water
Electrical System12 Volts
Max Inclination, all angles30°
Fuel Consumption (Avg)1.0 Gal/Hr
Transmission
Sauer-Danfoss twin hydrostatic pumps and Auburn Gear
70,000 in. lb. torque hubs
STEERING
Dual controls, full hydrostatic, counter rotating
Hydraulics
Gear numn 11 C D M 1200 DCI develop Clause 10
Gear pump 11 G.P.M. 1200 PSI double filtration, 10 micron
Undercarriage
UNDERCARRIAGE MakeBerco
UNDERCARRIAGE MakeBerco Track FrameRigid Frame
UNDERCARRIAGE Make
UNDERCARRIAGE Make
UNDERCARRIAGE Berco Make Berco Track Frame Rigid Frame Track Rollers 4 Bottom Shoes per Track 31 Track Width x Length 7" x 48"
UNDERCARRIAGE Berco Make Berco Track Frame Rigid Frame Track Rollers 4 Bottom Shoes per Track 31 Track Width x Length 7" x 48" Ground Pressure 5.9 PSI
UNDERCARRIAGE Make Berco Track Frame Rigid Frame Track Rollers 4 Bottom Shoes per Track 31 Track Width x Length 7" x 48" Ground Pressure 5.9 PSI SERVICE REFILL CAPACITY
UNDERCARRIAGE Make Berco Track Frame Rigid Frame Track Rollers 4 Bottom Shoes per Track 31 Track Width x Length 7" x 48" Ground Pressure 5.9 PSI SERVICE REFILL CAPACITY Fuel Tank 6½ Gal
UNDERCARRIAGE Berco Make Berco Track Frame Rigid Frame Track Rollers 4 Bottom Shoes per Track 31 Track Width x Length 7" x 48" Ground Pressure 5.9 PSI SERVICE REFILL CAPACITY Fuel Tank 6½ Gal Hydraulic System 19 Gal
UNDERCARRIAGE Make Berco Track Frame Rigid Frame Track Rollers 4 Bottom Shoes per Track 31 Track Width x Length 7" x 48" Ground Pressure 5.9 PSI SERVICE REFILL CAPACITY Fuel Tank 6½ Gal Hydraulic System 19 Gal Crankcase 6 Qt
UNDERCARRIAGE Berco Make Berco Track Frame Rigid Frame Track Rollers 4 Bottom Shoes per Track 31 Track Width x Length 7" x 48" Ground Pressure 5.9 PSI SERVICE REFILL CAPACITY Fuel Tank 6½ Gal Hydraulic System 19 Gal
UNDERCARRIAGE Make Berco Track Frame Rigid Frame Track Rollers 4 Bottom Shoes per Track 31 Track Width x Length 7" x 48" Ground Pressure 5.9 PSI SERVICE REFILL CAPACITY Fuel Tank 6½ Gal Hydraulic System 19 Gal Crankcase 6 Qt Cooling System 3 Gal FRAME
UNDERCARRIAGE Berco Make Berco Track Frame Rigid Frame Track Rollers 4 Bottom Shoes per Track 31 Track Width x Length 7" x 48" Ground Pressure 5.9 PSI SERVICE REFILL CAPACITY Fuel Tank 6½ Gal Hydraulic System 19 Gal Crankcase 6 Qt Cooling System 3 Gal

^{*}Specifications subject to change without notice.

heavy mini dozer services.

PROTECTED BY U.S. PATENT NO. D785,680

MISCELLANEOUS

Width	29.5″
Length (with blade)	
Height	
Ground Clearance	4"
Gross Weight (with blade)	
Travel Speed	0-5 MPH
Max Blade Lift	13"
Max Blade Drop	10"
Max Blade Angle	30°
Max Blade Tilt	25°
Max Blade Angle Max Blade Tilt	30°

STANDARD FEATURES

- Blade 6 Way with Lift & Tilt
- Brass Wear Plates
- Turbo
- Warning Lights
- Vandal Protection Kit
- Tach w/Digital Hour & Volt, Fuel, Water Temp & Oil Pressure
- Hydraulic Oil Site Glass & Temp Gauge
- Cold Weather Starting
- Heavy Duty Engine Cooling System
- Auxiliary Hydraulics
- Hydraulic Oil Cooler
- Rock Guards
- Safety Brake
- Dry Cell Battery
- Arm Rests & Operator Bumper Pads
- Operator's Seat & Platform
- Winch Receiver Mounts front & back
- Tie Down Hooks (set of 4)
- Cup Holders (2)
- Blade Extension
- Powdercoat Finish

OPTIONS

- Ripper Attachment
- Electric Winch
- 3 LED Lights
- Strobe Light
- Fire Extinguisher
- EDC 2-Stick

SUTTER EQUIPMENT COMPANY, INC. (775) 246-8689 www.sutterequipment.com